



Innovation • Design • Style

Laminate Flooring

Why laminate flooring? With Alloc's advanced quality and designs, the question is really "why not"? Today's laminate flooring is affordable, durable, versatile—and beautiful.



Alloc's products offer convincing representations of real wood, stone and tile—down to the finest details.

They install simply and quickly with no glue, and maintain just as easily for years of warranted enjoyment.

Time-saving, cost-reducing, design-enhancing... Why not Alloc laminate flooring?

Flooring colors represented throughout this brochure may vary slightly from actual product colors. Please refer to your retailer's samples when making your final decision.

SUPERIOR LAMINATE CONSTRUCTION ENSURES THAT YOUR FLOORING MAINTAINS ITS BEAUTY.

Alloc's high pressure and direct pressure laminates provide well balanced and stable floors with chip-resistant edges and superior impact resistance. Our high density fiberboard with wax impregnated edges increases the floor's impact and water resistance. A built-in underlayment in Alloc's Original, Commercial & Domestic lines reduces sound, while saving time and money during installation.

LAMINATE FLOORING

Melamine Impregnated Decorative Sheet
Layers of Treated Kraft Paper
High-Density Fiberboard (HDF) Core
Sealed Edges via Wax Impregnation
Balancing Layer
Patented Aluminum Locking System
Patented Fiberboard Locking System
Built-In Underlayment

High Pressure Laminate (HPL) (Commercial & Original)

Direct Pressure Laminate (DPL)

(Domestic*, Classics, Home, Basic & Tile)
*Has attached underlayment.

EXCELLENT WATER RESISTANCE

Our flooring's wax-impregnated edges seal out surface water, and our fiberboard core provides additional moisture resistance.

Wax-Impregnated Edge



ALLOC FLOORING IS WARRANTED

Our products are backed by the best warranties in the industry, allowing you to enjoy your flooring worry-free for years to come.

A GREENER APPROACH

To preserve the nature's bounty, Alloc's floors are produced with a laminate construction.

This enables us to bring the beauty of a wood floor to your home with less demand on the environment than lumber-produced hardwood floors. In addition, our flooring can be reused and recycled.

A CLEANER INDOOR ENVIRONMENT

Alloc flooring's smooth surface is easy to clean and will not trap dust or allergens. Plus, you don't have to worry about the irritating smell of glue when you install Alloc.

DURABLE CONSTRUCTION

No matter what style of Alloc you select, you can depend on it to withstand most wear and tear that may come its way. Our high-performance flooring is designed to maintain its beauty. With the layer of high-pressure or direct-pressure laminate, Alloc flooring is a well-balanced, stable floor.

Our high-density fiberboard core adds to the floor's durability, providing excellent impact and moisture resistance.

Built-in underlayment within the Original, Commercial and Domestic lines helps produce a more natural sounding floor. It also saves you money and time, since you don't need to buy or install a separate underlayment.





ALLOC'S PATENTED LOCKING SYSTEMS CREATE STRONGER GLUELESS FLOORS WITH TIGHT JOINTS

Alloc flooring's patented locking systems are constructed to form networks of support that absorbs and distributes the stresses that act on a floor. This network makes each joint able to withstand high levels of horizontal and vertical forces. Both our precision-made aluminum locking structure and our fiberboard locking mechanism allow the planks to fit together easily and tightly, resulting in better looking floors.

Please refer to our web site at www.alloc.com for the most up to date installation information.

Alloc Commercial – superior performance high-pressure laminate with aluminum locking, expressly for demanding commercial use



pages 4–5

Alloc Original – the category-creator in high-pressure laminates, with our patented aluminum mechanical locking system



pages 6-9

Alloc Domestic – versatile, durable direct-pressure laminate with aluminum locking system



pages 10-11

Alloc Tile – all the benefits of laminate flooring in the gorgeous look of Spanish tiles



pages 12-13

Alloc Classics – the latest designer styles in direct-pressure laminate with the strongest fiberboard locking mechanism



pages 14-18

Alloc Home – styles with wide appeal, featuring durable direct-pressure laminate and the trusted fiberboard locking system



page 19

Alloc Basic – affordable quality flooring in 7 attractive designs for your home decor



page 20

Product Lines Comparison Chart – comparing features, benefits and warranties

page 21

Alloc Essentials – comprehensive line of accessories is designed to keep your floors in great shape for years to come



ALLOC COMMERCIAL

CREATE A NEW CANVAS FOR YOUR DESIGNS







675909 / Sierra N

From offices, healthcare and airports to restaurants and retail, Alloc Commercial Flooring is the right solution for demanding commercial installations.

Strong, sophisticated and simple to install, Alloc Commercial offers innovations that fit the styles and standards of today's indoor environments. With the world's first—and best—mechanical locking system, Alloc Commercial is warranted to offer years of superior performance.

PRODUCT SPECIFICATIONS

Dimensions	Length 47.5", width 7.6"
Thickness	o.43" (including underlay)
Box	8 planks (20.06 sq/ft – 37 lbs.)
Classification	23/34 (EN 13329)
Surface	High-Pressure Laminate (HPL) EN 438
Core material	Alloc Aqua Resist
	High Density Fiberboard (HDF)
Edges	Impregnated
Back side	High-Pressure Laminate (HPL)
Underlay	Alloc Silent System
Locking system	Patented Aluminum Locking System
Strength of joints	More than 1,000 lb/ft
















offers sophisticated styles and unparalleled quality. When used in heavy commercial applications, it has a 10 year,



When used residentially, it has a lifetime 5-star plus warranty.



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE





SL - Slate **WS** - Wood Structure

ST - Stone

* Debossed joints have been machined into the patterns for a very natural and authentic appearance reminiscent of grout lines.

Refer to roomscene photography when making your final decision.

SCV This product has Significant Color-design Variation

from plank to plank which creates an antique look.

ALLOC ORIGINAL

DISTINCTLY AMERICAN







Alloc Original laminate flooring is as beautiful as it is durable. The inspired designs feature authentic wood looks in distinctive textures and hues. Our aim is to bring natural beauty to your cherished spaces.

Alloc Original can be used for residential or light commercial use. It has a durable high pressure laminate structure and a patented aluminum locking system. This innovative construction simplifies installation and holds the joints firmly together.

Alloc Original is an ideal choice for home or office.






The first and the best...

Alloc Original offers the ideal blend of beauty and durability.






Alloc Original's aluminum locking system is constructed to form a network of support that absorbs and distributes the stresses that act on a floor. This network makes each joint able to withstand high levels of horizontal and vertical forces. The precision-made aluminum structure allows the planks to fit together easily and tightly, resulting in a better looking floor.

We stand behind the durability of your Alloc Original flooring for as long as you own it.


We're the first laminate flooring manufacturer to back precision joints from separating or cracking. Our exclusive limited lifetime warranty covers:

- **Joint Integrity –** Alloc's floor planks lock together perfectly to ensure close-fitting seams
- **Stain Resistance** sure to defend against stains
- Fade Resistance flooring will not fade from exposure to sunlight or normal artificial light
- Wear Resistance decorative surface will not wear in normal residential use
- Water Resistance sure to withstand water in normal use conditions with no swelling, peaking or delaminating at seams if water is promptly removed and floor is allowed to dry



PRODUCT SPECIFICATIONS

Product Size	7.6" x 47.55"
Thickness	.42"
Boards Per Carton	8
Carton Weight	36 lbs.
Square Feet Per Carton	20.06



655512 TP

Mocha Oak

655852 TP

Wenge



Designer Styles

High-Pressure Laminate

Aluminum Mechanical Locking System

Lifetime Warranty Residential Use

8-Year Warranty Light Commercial Use

Our ISO 9001
Certification is
a testament to
the quality with
which we operate
our company.

ISO 9001

ALLOC DOMESTIC

BEAUTY & DURABILITY FOR A LASTING IMPRESSION

Alloc Domestic is ideal flooring for your home and living spaces.

Featuring our exclusive patented aluminum locking system,

Alloc Domestic is innovative and easy-to-install. Whether you install it yourself or hire a professional, this flooring will go down quickly and accurately, for a perfect fit with strong durable joints.

Alloc Domestic is made from direct pressure laminate with a melamine and aluminum oxide surface for excellent durability.

The planks are impregnated with moisture resistant wax and backed with Alloc's exclusive Silent System that reduces the sound of footsteps.









is a smart and innovative solution for your home flooring needs.

5-Year, 4-Star Plus Warranty Light Commercial Use

> 30-Year Warranty Residential Use



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE
- WATER RESISTANCE

11

ALLOC TILE

NATURAL BEAUTY



Bring home the natural beauty of stone textures with eleven designs from Alloc laminate flooring.

Registered embossing – captures the texture of real tile. Indented authentic-looking grout lines.

Durable construction – features our patented integral mechanical locking system.



12" x 12" Pattern (2 planks shown in photo)





- The beauty of tile without the installation hassle.
- Joint guard® replicates the appearance of grout lines.
- Registered embossing captures the texture of real tile.

16" x 16" Pattern (2 planks shown in photo)














Random Pattern (2 planks shown in photo)









PRODUCT SPECIFICATIONS

12" x 12" Pattern	16" x 16" Pattern	Random Pattern*	Random Pattern+
11.4" x 46.78"	15.48" x 46.45"	15.48" x 46.45"	15.47" x 46.85"
.32"	.32"	.32"	.32"
5	4	4	4
28.9 lbs.	31.3 lbs.	31.3 lbs.	31.42 lbs.
18.8	19.95	19.95	20.14
	11.4" x 46.78" .32" 5 28.9 lbs.	11.4" x 46.78" 15.48" x 46.45" .32" .32" 5 4 28.9 lbs. 31.3 lbs.	11.4" x 46.78" 15.48" x 46.45" 15.48" x 46.45" .32" .32" .32" 5 4 4 28.9 lbs. 31.3 lbs. 31.3 lbs.



Alloc Tile

brings natural,
lasting beauty
to your home.



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE
- WATER RESISTANCE

ALLOG[®] Classics

EVERY HOME SHOULD HAVE THE CLASSICS

Alloc Classics take laminate flooring from "practical" to "prestigious".

With customizable options and uncompromising quality, Classics achieve the look of real wood and exceeds its durability and ease of installation. Elegant for your dining room, rugged for the kids' bath, Alloc Classics let you have it all – beauty and durability, sophistication and simplicity.















Alloc Classic Plank's
durable construction
consists of 8mm direct
pressure laminate
and features Alloc's
strong patented locking
mechanism with wax
impregnated edges.



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE
- WATER RESISTANCE



TP - Textured Product **WS** - Woodstructure

052931 TP Carbonized Bamboo

052653 WS

Country Maple

ALLOG° MicrobeVel

CLASSICS MICROBEVEL

Alloc Microbevel has a small bevel at the edges of each plank simulating a natural wood look.

The small v-groove that the beveled edge creates between each plank gives the flooring a more realistic look similar to natural wood flooring.





- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE
- WATER RESISTANCE



WS - Woodstructure





PRODUCT SPECIFICATIONS FOR MICROBEVEL & CLASSIC PLANK

7.32" thickness

7.3"

47.25"

Product Size	7.3" x 47.25"
Thickness	.32"
Boards Per Carton	8
Carton Weight	30 lbs.
Square Feet Per Carton	19.22

PRODUCT SPECIFICATIONS

Product Size	4.7" x 50.6"			
Thickness	.32"			
Boards Per Carton	8			
Carton Weight	19.84 lbs.			
Square Feet Per Carton	13.29			



CLASSICS TIMBERVIEW







WS - Woodstructure **SC** - Hand-Scraped





ALLOC*

TIMBER VIEW
beveled edges

Alloc TimberView



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE







CLASSICS WOODSTRIP

Alloc WoodStrip
replicates the
popular look of
long, narrow strip
wood flooring.
Four-sided
decorative grooves
add a touch of
design and
dimension, for a
supremely authentic
wood look.




- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE





With the generous length of 50.79" and lean width of 3.3", WoodStrip planks create a sleek, expansive appearance.

PRODUCT SPECIFICATIONS



EIR - Embossed In Register





ALLOC HOME

THE BENCHMARK IN LAMINATE FLOORING

Alloc Home Flooring
is the answer for
floors that are
beautiful and
practical.
Constructed
with strong
direct-pressure
laminate and our
dense fiberboard
core, it's a trusted
flooring solution for
busy families.







• Stain Resistance

• FADE RESISTANCE

• Wear Resistance

• WATER RESISTANCE



VIS II.	PRODUCT SPECIFICATIONS			
	Product Size	7.32" X 47.25"		
	Thickness	.28"		
	Boards Per Carton	8		
ALC: N	Carton Weight	26.5 lbs.		
	Square Feet Per Carton	19.22		
012742 WS Rosewood				





Alloc Basic
provides
affordable,
quality flooring
in seven
beautiful designs.



- 15-YEAR STAIN RESISTANCE
- 15-YEAR FADE RESISTANCE
- 15-YEAR WEAR RESISTANCE
- 5-YEAR JOINT INTEGRITY
- 5-YEAR WATER RESISTANCE

ALLOC BASIC

WARM YOUR HOME







SG - Standard Gloss

TP - Textured ProductWS - Woodstructure



	ALLOG° Commercial	ALLDG' Original	ALLOC' Domestic	ALLOG° Tile	ALLOG° Classics	ALLOG° Home Flooring	ALLOG [°] Basic
Construction	HPL	HPL	DPL	DPL	DPL	DPL	DPL
Core	HDF*	HDF*	HDF*	HDF	HDF	HDF	HDF
BACKING	HPL	HPL	DPL	DPL	DPL	DPL	DPL
THICKNESS	11mm	10.8mm	10mm	8mm	8mm	7.2mm	7.2mm
AC RATING	AC 6	AC 5	AC 4	AC 3	AC 3	AC 3	AC 3
WAX IMPREGNATED EDGES	Yes	Yes	Yes	Yes	Yes†	Yes	No
LOCKING SYSTEM	Aluminum	Aluminum	Aluminum	HDF	HDF	HDF	HDF
JOINT STRENGTH - LB/FT.	1,000	1,000	850	670	670	670	670
UNDERLAYMENT	2mm Silent System	2mm Silent System	2mm Silent System	None	None	None	None
IMPACT RESISTANCE	Superior	Excellent	Good	Good	Good	Good	Good
RESIDENTIAL USE	Yes	Yes	Yes	Yes	Yes	Yes	Yes
LIGHT COMMERCIAL USE	12 Yr. Warranty†	8 Yr. Warranty†	5 Yr. Warranty†	N/A	N/A	N/A	N/A
HEAVY COMMERCIAL USE	10 Yr. Warranty†	N/A	N/A	N/A	N/A	N/A	N/A
WARRANTY COVERAGE	J/W/F/S/X	J/W/F/S/X	J/W/F/S/X	J/W/F/S/X	J/W/F/S/X	J/W/F/S/X	W/F/S
RESIDENTIAL WARRANTY	Lifetime	Lifetime	30-year	30-year	30-year	25-year	15-year

J = Joint Integrity W = Wear Resistant X = Water Resistant

S = Stain Resistant

Classics Includes: TimberView†


^{*} Aqua Resistant

[†] Excludes Water Resistance Warranty



Alloc Performance

Laminate Moldings
feature a unique
construction that
ensures superior wear
resistance and makes
them the strongest in
the industry.





- Superior wear resistance
- Resists dents
- Strongest in the industry



MonoTrack Fastener

- Easy to install
- Just snap in place




Transitions


- Low-profile
- Transitions to any surface



- JOINT INTEGRITY
- STAIN RESISTANCE
- FADE RESISTANCE
- WEAR RESISTANCE
- WATER RESISTANCE




Your Alloc Performance Moldings will last as long as your Alloc floors, so they have the same warranty. We will back them with a warranty that's unmatched in the industry. If your moldings fade, stain, wear through or sustain water damage under normal use, we'll replace them free of charge.



^{*} These molding items are secured to the subfloor using the Monotrack system, which eliminates face nailing

Commercial Moldings

Alloc Commercial anodized aluminum moldings
properly finish your flooring product. Lap reducers,
square noses, stair noses and T-expansion moldings
are available in silver, bronze or black – packaged
complete with tracking system and screws.
We have the essentials you need to transition smoothly
between your Alloc floor and other flooring types.




404220

404230

ALLOC° Essentials

Alloc Essentials'
comprehensive
line of accessories is
designed to keep
your floors in great
shape for years
to come.

ACCESSORIES



FastFold™ Underlayment

A technically advanced 3-in-1 underlayment ideal for all "floating floors" such as laminate and hardwood. FastFold provides excellent thermal insulation, aids in sound reduction, acts as a moisture barrier and is easy to install. Packaged in boxes, FastFold is easier to handle and transport than rolls.



Bronze

Black

Tested and approved for proper compression resistance.

RapidRoll™ 3-in-1 Underlayment

RapidRoll includes padding, vapor barrier and tape in one product. Everything you need to prevent moisture, add underfoot cushion and speed up installation, comes in one roll.

Laminate Cleaner

404520

404530

Our cleaner keeps your new floors looking great. Just spray it on and it starts fighting bacteria like E. coli, Staph and Strep. Spray over a dry, clean mop and mop over the affected area until streaks disappear. There's no need to rinse. Simply put the convenient spray bottle away and get on with your day.



404920

404930

404820

404830



















3441 South Memorial Drive Racine, WI 53403

www.Alloc.com

Toll free 1-877-DO-ALLOC